


Rodamiento conico 39575-39521-TIMKEN - 39575-39521-TIMKEN

<https://www.123rodamiento.mx/rodamiento-cojinete/rodamiento-rodillos/conico/39575-39521-timken>

TAPERED ROLLER BEARINGS
SINGLE-ROW • TYPE TS

TYPE TS



| Bearing Dimensions | | | Load Ratings | | | | | | Part Number | |
|--------------------|---------|---------|---------------------------------------|-------------------------|---------------------------------------|--------------------------------------|-----------------------|-------|-------------|--|
| Bore d | O.D. D | Width B | Dynamic ⁽¹⁾ C ₁ | Factor ⁽²⁾ e | Dynamic ⁽¹⁾ C ₂ | Factor ⁽²⁾ e ₂ | Static C ₃ | Inner | Outer | |
| mm | mm | mm | N | | N | | N | | | |
| 58.800 | 112.712 | 30.162 | 167800 | 0.34 | 42900 | 29300 | 228000 | 29575 | 39521 | |
| 1.0000 | 4.4375 | 1.1975 | 25500 | | 9300 | 5950 | 50000 | | | |

| Bearing Dimensions | | | | | | | | | | Geometry Factors | | | Bearing Weight | |
|--------------------|---------|--------------------------|--|--------------------------------------|--|--------------------------------------|-------------------------------|-------------------------------|----------------|------------------|----------------|------|----------------|------|
| Shaft | | Housing | | Cage | | | | | G ₁ | G ₂ | C ₃ | | | |
| Width B | Width C | ER. Dr. a ⁽¹⁾ | Max Shaft Fillet Radius R ⁽¹⁾ | Backing Shoulder Dia. d _s | Max Housing Fillet Radius r ⁽¹⁾ | Backing Shoulder Dia. D _s | A ₁ ⁽¹⁾ | A ₂ ⁽¹⁾ | | | | | | |
| 30.162 | 23.812 | -4.6 | 3.5 | 65.8 | 88.8 | 8.8 | 107.8 | 103.8 | 1.8 | 2.7 | 84.3 | 23.7 | 0.1074 | 1.80 |
| 1.1975 | 0.9375 | -0.26 | 0.14 | 2.60 | 2.88 | 0.33 | 4.21 | 4.08 | 0.06 | 0.11 | | | | 3.32 |

CARACTERÍSTICAS DEL PRODUCTO

| | |
|-------------------|---------------|
| Marca | TIMKEN |
| N° Ean13 | 3663952316437 |
| Diámetro interior | 50.8 mm |
| Diámetro exterior | 112.712 mm |
| Espesor | 30.162 mm |
| Envasado | 1 |

contacto@123rodamiento.mx

+34 911 436 830

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE